

4, Gopal Nagar, Nandida Char Rasta, National Highway no- 6, Bardoli, Surat, Gujarat 396001

www.hitechro.net
sales@hitechro.in
Customer Care:
1800 - 121 - 1232



Exclusive Range of Health Water Purifier



Pure & Healthy Warifier

Pioneering RO Purification in India

Formed with the mantra 'Health is Paramount' & synonymous with class, the Hi-Tech group was established in 1995 with the objective of providing the finest of healthcare and living conditions across the country. Pushing the basic water filtration processes available in the country at that time to the next level of advancement, and extensive study & research of the technologies available abroad, Hi-Tech became the very first brand to bring the top of the class- Reverse Osmosis technology to India. While the other brands relied on outdated filtration techniques, Hi-Tech Pioneering in the world of state of the art RO, UV and UF technology, and etched its name as the brand that revolutionised the face of water purification in India.

The Most Versatile Brand

Hi-Tech has left no stone unturned to guarantee easier access to clean drinking water for all

Hi-Tech makes all possible efforts in providing equal rights to good health for everyone. The company sincerely believes that from the most advanced offices and houses to the most remote villages, everyone deserves clean water. A masterclass in inventive brilliance and an embodiment of superior quality, Hi-Tech has manufactured a wide variety of water purifiers that showcase anywhere between 6L/hour to an unbelievable 1,00,000L/hour purifying capacity. Having ISO 9001, 14001 and 18001 certification and being an Indian Government approved agency for central sponsored projects, speaks volumes about the reliability and quality of the company.



After Sales Service





With its after sales services par excellence, Hi-Tech has successfully achieved a position second to none in the field of water purification. From domestic purifiers to high end industrial level purification assemblies, Hi-Tech has focused on delivering with a commitment to take care of the product and your requirements and concerns. With a giant network throughout the country, the customers get easy and prompt repair, replacement and any kind of assistance at every doorstep with a motto of- One Hour(to respond)- One Day(to troubleshoot & rectify)- One Time solution. Superior spares, expert technicians, and strict adherence service policy boosts the company towards relationship building through 100% customer satisfaction.



As a completely backward integrated manufacturing facility, the company has adapted the finest technologies from across the world and blended them perfectly with the Make in India policy, which makes it completely reliable.



Hi-Tech understands the value of good health. Treating water is equivalent to treating a million lives. A considerable part of India doesn't have access to drinking water, let alone getting purified water. A major part of these regions suffer from water-borne diseases throughout the year and the mortality rate is alarming.







Hi-Tech focuses on building long term relationships. Customer satisfaction holds the highest value for the company. Hi-Tech knows that regular and adequate after-sales services are of



Providing consistent auto scheduled visits for service & maintenance of the products in the sales record.



Offering free product demo to assure customers of quality standards.



Imparting usage knowledge and service guidance by certified expert technicians.



Access to support at all times through one of the most widespread channel of service centres across the country.



Making of all kinds of spares readily available throughout India.



Enabling customers to the fastest service through Hi-Tech Care service App.





Strong Support System

E-mail: service@hitechro.net www.hitechro.net

Call Center: 1800 121 1232

Hi-Tech Genuine Spare Parts

A plethora of products and the finest quality of spares provide the most desirable combination of quality and reliability. Brand recommended genuine spares not only increase the life of a product considerably but also prove out to be highly cost efficient in the longer run. The easy to install screw-able filters and extensive guidance plus demo of usage also make the spares replacement makes maintenance easier.

Add life to your product with Hi-Tech Authorised Spares and services and the product will add to your life.








Spare	Rated Life
Pre Sediment	6000 litres (i.e 12 months @ approx 15 LPD)
Pre Carbon	6000 litres (i.e 12 months @ approx 15 LPD)
Sediment	6000 litres (i.e 12 months @ approx 15 LPD)
RO membrane	6000 litres (i.e 12 months @ approx 15 LPD)
Ultra Filtration Membrane	6000 litres (i.e 12 months @ approx 15 LPD)
UltraViolet	5000Working Hours
Alkaline Cartridge	6000 litres (i.e 12 months @ approx 15 LPD)
Mineraliser	6000 litres (i.e 12 months @ approx 15 LPD)

Special Note:

The Performance Data presented in the table is applicable under standard laboratory conditions. Actual Performance may vary depending on the input water quality, water pressure and conditions of fiters.

- * Technical Specifications are subject to change without prior notice.
- ** Input water quality/pressure and TDS content are important determinants of recovery rate and TDS rejection
- *** If the pressure is higher than the maximum specified, use of the pressure reducing value is recommended. The above accessory is available with our company at an additional cost.

Hi-Tech Multi Stage Purification Process



PRE-SEDIMENT

The foremost unit of an elaborate water purification system. The filter separates water from big particles of the size 5 Micron such as rust, mud, debris & dirt, and impedes the impurities from accumulating and reaching the next filter.

SEDIMENT

The 2nd stage of a water purifier's mechanics. Filter is designed to eliminate suspended solids sized around 10 micron. A sediment filter essentially functions like a net that traps unwanted unseen contaminants as water flows

CARBON FILTER

3rd level in a comprehensive water purification system. Removes contaminants that form chemical bonds with Carbon such as Chlorine and olatile Organic Compounds and other harmful entities. Puts an end to foul odour and unpleasant taste of the water.

RO MEMBRANE FILTRATION

RO Filter is able to remove over 0.0001 micron meter impurities such as heavy metallic substances, ionized substance & micro-Organisms, salts, ions & pathogens.

ULTRA FILTRATION

UV light provides rapid, effective inactivation of microorganisms through a physical process. When bacteria, viruses and protozoa are exposed to the germicidal wavelengths of UV light, they are rendered incapable of

ALKALINE

Final step in achieving 100% safe and healthy water. Provides water ionized via electrolysis. Increases pH of water and lowers harmful Oxygen free radicals. Helps removing toxins and acidic waste from the body & introduces vital nutrients like Calcium, Potassium,

ULTRA FILTRATION U.V FILTRATION

ULTRA FILTRATION

Low Pressure Ultra Filtration - permits the clarification and disinfection of water in a single step. It acts like a filter for all particles over 10-20 nm in size: pollen, algae, bacteria, viruses, germs and organic molecules.



MINERALISER

 $\,{\rm ph}\,$ - $\,{\rm Maintains}$ the pH and makes the water alkaline.

- + Carbon Adds taste to the RO water
- + Calcium enriches the Ro water with calcium
- + Minerals Ceramics Restores the minerals


Dove Family






No. Of Free Service Check up - 3 per year
Frequency of Service – Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter







Non toxin in water tank

Voltage Fluctuation Protection

Tank Overflow Protection

Water Dispency without Electricity

Wall Mount or Counter Top

10 Litre Storage Capacity 10

Automatic Water Fill Technology

Air Tight Tank

Food Grade ABS Plastic Material

18-20 Litre Flow Rate 😸









Available colors




PRE SEDIMENT


GET 4 Pre sediment filters Free worth Rs. 1000/-







Alkaline Filteration



Hi-Tech revives the water and helps in creating Anti-Oxidant Alkaline water- on the go. This filter makes use of Korean Bio Ceramic Technology that uses Ceramic Balls which displays high extrusion strength and zero percolation or deformation to ensure the purest and healthiest drinking water. Not only does the Dove Supreme provides Mineralized Anti-Oxidant Alkaline (pH 7.5-8.5) drinking water but also adds essential nutrients like Calcium, Magnesium, Sodium, Potassium while regulating the Oxygen content in the water.

Advantages



Increases
absorption of Vitamins
and Minerals



Boosts immunity against diseases



Stop the aging process



Removes toxins



Weight loss



Maintain Heart Health



Improve Digestive Health



Maintain Blood Pressure



Super Hydration




Detoxification

Silver Nano Water Purifiers

Hi-Tech has constantly evolved with the change in time. The company knows that retaining the natural properties of water is as crucial as its decontamination. With market research and advanced study of the developments in the field, Hi-Tech has finally launched its very own Nano Silver Water filter.

The Silver Nano Technology works on the idea of causing a sustained release of Silver ions in a large volume of water to kill microorganisms. The inside of the tank are coated with industry grade Silver which, on coming in contact with water, reacts as a cleansing agent. The ion release quantity in the water tank stays as low as 50 parts per billion (ppb), which well below the permissible health standards of 100 ppb.



No Secondary Contanimation

No UV Sterlization after Water Surge



Other Brands
Simple UV
at Filteration Stage



Discharge of Silver Ions which Prevents Bio Fouling and algae Formation









No. Of Free Service Check up - 2 per year
Frequency of Service - Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter

*Read User Manual for warranty terms and conditions





Easy tank Cleaning

Non toxin in water tank

Voltage Fluctuation Protection

Tank Overflow Protection

Water Dispency without Electricity

Wall Mount or Counter Top

7 Litre Storage Capacity 7

Automatic Water Fill Technology

Air Tight Tank

Food Grade ABS Plastic Material

15 Litre Flow Rate 😸








Available colors





REGISTER ON THE HI-TECH CARE APP



GET 4 Pre sediment filters Free worth Rs. 1000/-










Water PIA Classic



10

10 litres Storage Capacity














without electricity

Improved Air Tight vacuum Tank

Water PIA Supreme





Water POT



Non Electric Gravity Based Water Purifier
7 stage of purity
Contemporary design
Granule active carbon cartridge
Eliminating odor & improving taste
Removing chlorine, chemicals, bacteria & rusts.
Fill-in water supply & drink directly.
Easy to maintain & service.

Water POT Stages

- Micro Ceramic Filter (1)
- Activated Carbon & Silver Activated Carbon (2)
 - WSM-300 (3)
 - Silica Sand (4)
 - Zeolite (5)
 - Mineral Sand (6)
 - Water Tap & Magnet (7)
 - Mineral Stone (8)

Hot & Cold RO Purifier





Fusion CT

(Hot & Cold)

Specification

· Cooling Capacity :5-10°C | 2 L/H

:85-95°C | 5 L/H · Heating Capacity

· Cool Water Tank : 3.3 Ltr · Hot Water Tank : 1.0 Ltr

 Net Weight / Gross Weight :14 kgs / 16 kgs

 Product Dimension (L X D X H) : 270 X 420 X 580 mm







Protection













Magic CT

(Hot & Cold)

- Super Slim Design (225mm Width)
- LED Type of Power, Cold Water, Hot Water Display
- 5 Stage RO Water Purifier System
 - Pre-Sediment + GAC + Sediment + RO Membrane + Mineraliser
- Prevent Overheating by THERMOSTAT PROTECTOR
- Environmental Friendly Refrigerant (R-134)
- High Quality Membrane Production Capacity: 15 18 lph
- · Equipped with "LG Compressor"
- · Low Electric Power Consumption 300 W
- Tank Capacity : Hot 1.7 ltr | Cold 3.5 ltr
- Full grade stainless steel water tank
- · "Hi-Tech Magic" Made Up of Food Grade Material



Hot & Cold Dispenser





Best for

Offices, Corporates, Factories, Hospitals, and Schools, etc.



Frosty (Cooling Cabinet)

Specification

: 3nos (hot/Normal/Cold) No. of Taps

· Bottom Compartment : Refrigerated

· Water Cooling Capacity : 2.5 L/h >15°C at 31°C Ambient

· Water Heating Capacity : Min. 5 L/h 90 °C ± 5°C

: Yes, Operating Tem. 18-43 °C · Operating Temp. in °C

· Rating Temp. Ambient

: 16.5 kg (Net) & : 18.35 kg (Gross) · Weight :

:(W) 325 X (L) 380 X (H) 1000 mm Product Dimension

· Cooling Capacity: 3 litre/hour

· Normal, Hot & Cold water with cooling cabinet

· 15 litre Refrigerator (cooling cabinet) capacity

· 2.5 litre stainless steel cold water storage tank

• 1 litre Hot Water Tank

• 1.15 litre Cold Water (<17 °C) at a time

· Top Loading Facility

· Child Lock Feature for Hot Water Tap

















Dispenses Water without electricity



· Hot and Cold Water

* Top loading dispenser

· Beautiful finish

· Child safety lock on the hot water spout

· Stylish gravity fed water dispenser

· Optional Hot water safety guard

Compressor cooling system

· Stainless steel hot and cold tank

• Spill-proof collar compatible with 3 gallon or 5 gallon bottles

· Convertible between bottle water system and POU system

. Standalone water dispenser with one piece blow mould housing construction for easy maintenance

Atlantis

(Hot & Cold)

Specification

Dispense Capacity: Cold Water ≥ 2.0 L/min

: Hot Water ≥ 1.5 L/min

: Cold = 4-10°C | 4 L Capacity

: Hot = 83-89°C | 2 L

Rated Power Input : Cold = 70-90 W

: Hot = 450W/520W

Weight : 13.3 kgs

Product Dimension: 356 X 280 X 1090 mm





Alkaline Water Ionizer

Alkaline Water Ionizer is standard ionizer manufactured in Japan and marketed across the

The Hi-Tech Alkaline Water Ionizer produces 7 different preset levels of water from single water input. These waters provides health benefits for the users who consume the water regularly. This is a normal water which is processed by Hi-Tech water ionizer with electrolysis processing. The Hi-Tech water ionizer produces waters with different pH like 8.5 to 9.5 pH alkaline drinking water, 7pH Clear / Natural Water, 5.5pH Beauty Water, 11.5pH trong Alkaline Water, 2.5pH Strong Acidic Water.





LCD Dsiplay

Filter Chage

Indicator

Feather touch

Control Panel



Adjustable pH levels

Easy Quick Change Filters



Adjustable Filter life Setting

Energy Saving Function





Auto & Manual Cleaning

Attractive Look for Kitchen





Electrolysis Plate: Platinum-Titanium

Powerful ACF-1 Filter

4.5~11 / -850mv



310X220X125 mm










Operating Voltage 180W/230W AC100/AC220V - 50/60Hz

How Alkaline Water Ionizer Works?



Functions






Converts regular water into different levels of acidic water for uses such as brushing teeth, restoring shine to hair, natural after-shave, sunburn relief, minimizing the appearance of pores, sanitizing utensils and tableware, and more!



Filters and Removes chlorine, chemicals, dirt, bacteria, and many other harmful impurities from regular water, making it delicious and healthy purified water for drinking


The Principle of Electrolysis











14

14 litres StorageCapacity



Hydrostatic Storage tank



TDS Water Recovery
Controller more than 50%



Smart Auto Fill &




Dispenses water without electricity



UTC 50 SUPREME (5 Stage)





No. Of Free Service Check up - 2 per year Frequency of Service – Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter

*Read User Manual for warranty terms and conditions



Delux Mini Commercial Purifier

RO Range 100/150/250 Lph

Best for Offices, Corporates, Factories, Hospitals, and Schools, etc.







- TDS Rejection: 90±5%
- Duty cycle: 2000 ltrs/day i.e. 6~8 hrs/day.
- Permissible input water quality (TDS Max.): 2000 ppm
- For an institutional size of 200 to 500 persons.
- Water purifier With Wheel base so easy moveable.
- For Economical, Purity, Taste, Health, & Convenient to use.
- Compact Institutional RO System with MANUAL Flushing.

- Solenoid Valve 230v ac for water stop Consist with booster pump and RO Membranes.
- Suitability of bottled water inside your own premises.
- No need to take more risk of buying counterfeit bottled water.
- Purify any source of water like bore-well, overhead storage tank underground water & municipal tap water.

Gold Series Light Commercial R **Gold Series**















Smart Auto Fill & Smart Cut Offf





























Water Purification System









Purewell 50



Purewell 100

Water Purification Process



Removes Impurities Rust, deposits, particles, sand etc. up to 5micron



сто







Removes certain chemicals, impurities, mainly organic chemicals



Removes heavy metals, water borne Micro Organisms up to 0.001-0.0001



taste of water, also removes contaminants & impurities



Frequency of Service - Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter


No. Of Free Service Check up - 3 per year

Platinum Series Light Commercial RO





Reverse Osmosis Water Purification System





Water Flow Rate: 25 - 100 Lph



Smart Auto Fill & Smart Cut Offf



Plug & Play



TDS Controller



Heat Resistant







Water Dispensing without electricity



Low cost maintenance








No. Of Service Check up - 3 per year Frequency of Service - Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter





Water Purification System









Marvel 25

Marvel 50

Marvel 100

Water Purification Process







mainly organic chemicals



borne Micro Organisms

Helps in adding minerals naturally &

TASTE ENHANCER

Viruses and other Micro-Organisms

Every day we used lots of Water While Bathing, Brushing, Cleaning etc., Direct through Tap or Shower











Do you know the quality of Water?

Its contain sediments, rust and other particulate matter.

its harms or affect your appliances, health, skin, hair etc.,







Health Issues



Hair Falling



Limescale on Tap








If your water is impure...

We offer wide range of Hi-Tech Whole House Filtration System

are designed for your Home or Apartments.

Its keep your family safe & Healthy from Water related harmful effects.





20" Whole House Filtration





YEAR

WARRANTY

Customised Filter Modules



Magnesium Removal





Fluoride Removal



WHF 20-3

(Flow Rate: 7 m³/h)




WHF 20-2

(Flow Rate: 7 m³/h)





3 Stage Filtration



Stage 1: Strainer Filter



Stage 2: Sediment Filter



deposits particles sand etc



Pressure Gauge



impurities mainly organic chemicals

2 Stage Filtration





pressure of inlet & outlet water, Featuring weather and corrosion

*Read User Manual for warranty terms and conditions

Frequency of Service - Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter

No. Of Free Service Check up - 3 per year

10" Whole House Filtration

YEAR

WARRANTY













































(Flow Rate: 3 m³/h)



WHF 10-3

(Flow Rate: 3 m³/h)



Stage 1: Stage 2:

Strainer Filter

3 Stage Filtration



Filtration Stages & Technologies Works



deposits particles sand etc





Pressure Gauge



impurities mainly organic chemicals pressure of inlet & outlet water,

2 Stage Filtration



Customised Filter Modules









Fluoride Removal







No. Of Service Check up - 3 per year Frequency of Service - Every 4 Months after installation.

Mandatory Replacement of Filters - Pre Sediment Filter

*Read User Manual for warranty terms and conditions











Zero Waste - Cloud



A step towards global water sustainability.

REDUCE REUSE RECYCLE



NO INSTALLATIONPlug & Play, Intelligent



Till today, there has been constant market hammering about the reverse osmosis water purification systems and all the water-borne health related issues. But as the crisis in terms of AVAILABILITY AND QUALITY of Natural water all over the world is alarming the danger bells, Hi-Tech innovates a SUPER WATER AND POWER SAVER UNIQUE REVERSE OSMOSIS PURIFCATION TECHNOLOGY with ZERO REJECTION and ALMOST NEGLIGIBLE ELECTRICTY COST of purification.

With all the existing benefits of reverse osmosis technology, CLOUD aims to remove the major drawback of reverse osmosis technology i.e. the excess drainage of the rejected wastage water

(Ratio of purified water to Rejection water -35:65).



NO SERVICE

DRY Self Replacement Filter



NO WASTE

Filtered & concentrated one tank, no waste water in drain




NO SECONDARY POLLUTION

Creative jug water storage point of use, fresh water



NO OVER FLOW RISK

Do not worry of water over flow



No Installation, Just Plug & Play!





Pre-treatment to remove organic impurities and dissolved gases



Auto Flushing / Backwashing



Anti-scalant System for treating hardness, iron, and silica



Fully automatic RO controller system



impurities up to 5 micron

and final pressure gauges



Automatic Switch for low/high water level



Easy to control and maintain



Low operation Cos And long life span



WVM (RO 500 LPH) **WVM** with Cooler

(RO 50 TO 250 LPH)



(Capacity: 50 to 500 lph)

Water Vending Machine is an innovation by Hi-Tech Which can avail RO drinking water at much more economical rates than Packaged Drinking Water.

- Easy to install and operate
- 24 Hour Automatic Vending Machine
- Return your investment only in 6-8 months
- Easy to earn, Recurring income with minimum investment
- Operated by smart card
- Low maintenance and service cost
- Wide network of service support

Auto Water Vending MachineAn Innovative Business Opportunity

Install Water Vending Machines at

Apartments | Corporate Houses | Public Places | Schools Hospitals | Commercial Spaces | Shopping Malls

and earn easy return with little or no extra efforts

AUTO RECHARGE WATER SOFTENERS

Hi-Tech fully automatic softener convert hard water in to soft water, with automatic regeneration, Hi-Tech Water Softener is a minimal maintenance sleek product that gives you soft, quality water throughout your house, without any effort.

Effects of Hardness in Water







hard water.





The system prevents scaling/hard water stains on your taps, faucets and fixtures in your bathroom and kitchen ensuring that bathroom fittings look good as new for longer. The system also protects your water using appliances like geyser, washing machine, and dishwasher etc. from internal damage and corrosion, thus extending their life. Not only this, the soft water protects your hair and skin from the harmful effects of

RETHINK ABOUT YOUR WATER

If your water is impure...

We offer Hi-Tech Water Softener are designed for your Home or Apartments. Its keep your family safe & Healthy from Water related harmful effects.

Benifit of Water Softerner

- Spotless, Cleaner & shinier Crockeries & Utensils.
- Reduces consumption of detergent, soap, shampoo etc.
- Preserve the life of appliances such as Washing machine, Water Heater laundry equipment etc.
- Revents tap flush, Shower Head, Plumbing live from clogging due to deposition of calcium.
- · Soft & Clean skin.
- · Smooth & Shiny Hair.

Household Softener

*Not use in Drinking purpose.



RO / UV / UF 50 to 250 lph with Cooler





2 to 20 TON CHILLER

RO WITH COOLER

R.O. PLANT FOR CORPORATE SECTORS, HOTELS, BANKS, RESTAURANTS

Corporate Houses, Banks, Hotels, Schools/colleges, Hospitals & Restaurants:

These R.O. Systems are exclusively designed for you to provide pure, safe & chilled water for your employee and clients. Each plant is made economical in a way that it consumes reasonably less power consumption and can produce water @ less than 10 paise per liter. The safe & pure water may increase your staff efficiency and will make the visitor happy.



Instant Cooling





Healthier & Eco-friendly



Automation with low and high-pressure switch



Stainless Steel Body & Tank



Low cost maintenance



Easy Controls



Suitable for purification of Brackish/Tap/Municipal Water

CHILLER (2/3/5/20 TON)



Heavy-duty casters



Bypass regulator valve



Air-cooled, closed loop



Discharge pressure gauge



Brushed stainless steel cabinet



Tank fluid level sight glass



Digital temperature controller



Flush-mounted fill port



Hermetic compressor




Wire connection panel



Manual fluid bypass

RO MEMBRANES

DOMESTIC & COMMERCIAL \ INDUSTRIAL RO ELEMENTS



MODEL

- ES-1812-50
- ES-1812-75
- ES-2012-80
- ES-2012-100
- ES-2012-150
- · ES-3012-300

- CP-4040
- ES-4040
- BW30-4040
- · CP-8040
- ES-8040
- BW30-400

ACHIEVEMENTS











Best Membrane

Hi-Tech has been awarded consecutively 4th time for Best RO Membranes Manufacturer

RO BOOSTER PUMP





Exclusive Box Packing

MODEL

- E-B 72
- EB 100
- HT- 150
- E-B 300

- · PL-GY-75A
- PL-GY-100A
- PL-GY-150A
 - Kemflo Hf1200
 - Kemflo HF1800

Hi-Tech Imported Booster Pump Range: 75, 100, 150, 300 GPD

PUMP HEAD





Black Head

INLINE FILTER SET

Sediment | Pre-Carbon | Post-Carbon



PP CARTRIDGE

10" & 20" SEDIMENT SPUN / WOUND FILTER (DOMESTIC & INDUSTRIAL)



HOUSING

10" / 20" & SOR / DOR



Special PP Filter Cartridge



CTO Carbon Block Filter (5 Micron)

Standard 10", 20" inch, 2.5", 4.5" dia




4" Online Filter



QC Fittings (1/4 " & 3/8")



Male Side Tee





Male Elbow

Male Middle Tee



Stem Middle Tee



Straight Connector

Stem Side Tee



Stem Straight Connector



Union Tee

- 100% Leak Proof
- Food Grade Plastic
- Non-Toxic best quality
- Easy to connect
- Long life fitting
- All type of fittings in 1/4" & 3/8"
- Special 'O' ring



Pipe Cutter

- Standard SS Blade

- Economical Price

Pipe Roll

Available Colour White, Blue, Black, Red & Green

Standard Packaging 100, 150 & 300 meter

Stem Elbow

Available Size 1/4 Inch & 3/4 Inch



TDS Adjuster

TUBE OD: 1/4"1/4"











FLOW RESTRICTOR

- Range : 300 ~ 1000 ml



WRENCH



FILTER CLAMP



HOUSING CLAMP



Pressure Tank

RO Water Storage Tank



(PRO 4001)

Tank Capacity:

4 Gallon Maxim Working Pressure 50 PSI



(PRO-11)

Tank Capacity: 11 Gallon

Maxim Working Pressure:

100 PSI

Float Valve

- Standard TVS Cherry Switch



Ultraviolet Water Sterilizer

SMPS 24 V

(1.5 / 1.7 / 2.5 AMP)

ULTRA VIOLET Ultraviolet Light Sterilizer

- Detachable AC Cable with 2 pin IEC 320 inlet
- · Wide AC Input Operating Range (100v AC - 240v AC)
- · Protected against short circuit, Over Voltage and temperature - SMPS Based



Solenoid Valve

1", 1/2", 3/4" Thread Available in Brass & SS Material





24 Volt

24 Volt

36 Volt